

Recent Searches[Close window](#) | [Help](#)Add terms to your search using: 

5. (((private or client or local or remote) and ((replicat* or copy or copying or duplicat*) w/5 (catalog or table or system or master)) and (dbms or database or datastore or (data w/1 base) or (data w/1 store))) AND PDN(<1/24/2001)

Database : Multiple databases...

Look for terms in : Citation and abstract

Publication type : All publication types

67 results

Add to Search

Set up Alert

4. (((replicat* or copy or copying or duplicat*) w/5 (catalog or table or system or master)) and (dbms or database or datastore or (data w/1 base) or (data w/1 store))) AND PDN(<1/24/2001)

Database : Multiple databases...

Look for terms in : Citation and abstract

Publication type : All publication types

312 results

Add to Search

Set up Alert

3. (((replicat* or copy or copying or duplicat*) w/8 (catalog or table or system or master)) and (dbms or database or datastore or (data w/1 base) or (data w/1 store))) AND PDN(<1/24/2001)

Database : Multiple databases...

Look for terms in : Citation and abstract

Publication type : All publication types

477 results

Add to Search

Set up Alert

2. ((replicat* or copy or copying or duplicat*) w/8 (catalog or table or system or master)) AND PDN(<1/24/2001)

Database : Multiple databases...

Look for terms in : Citation and abstract

Publication type : All publication types

14925 results

Add to Search

Set up Alert

1. (private w/1 catalog) AND PDN(<1/24/2001)

Database : Multiple databases...

Look for terms in : Citation and abstract

Publication type : All publication types

32 results

Add to Search

Set up Alert

[Close window](#) | [Help](#)

ProQuest
5/23/05
J

Circled
rev. =

IP.com
PriorArtDatabase

May 23, 2005

USPTO

Search for:

Search

Search

Full Text

Concept

Document ID

Recent
Disclosures**Publish**

Publish Disclosure

My IP.com

Manage Account

Prior Purchases

Prior Disclosures

Events

Main Page

Support

Logout

Fingerprint Lookup

Lookup

ip.com

Search
Results

5/23/05

Security

Within results for:(replicat* or duplicat* or copy or copying) w/5 ((catalog or table or syste
w/2 (table or meta* or catalog)) and (database or datastore or dbms or
w/1 base) or (data w/1 store))**Limit the results with these filters****Original publication date**Published after: Select... MM-DD-YYYYPublished before: 1-24-2001 Select... MM-DD-YYYYSpecific collection: All CollectionsCountry of origin: Any countryLanguage: Any languageSearch within: ☒ My company's disclosures only

No disclosures have been published by you or your company.

Display options

Show results with:

☒ Abbreviated abstract☐ First keyword match

Highlight matches:

☒ Enable**Search help:****View our full text search reference guide** (Boolean, syntax, phonic and searching)

- Searching is performed across the full text of documents including bibliographic and any extracted text. You do not need to use any special punctuation to search for a phrase. Simply enter the phrase the way it ordinarily appears anywhere in your search. apple w/5 fruit salad
- Available positional operators are **W/#** and **NOT W/#** meaning "(not) within # words of"

- number of words." Available Boolean operators are **AND**, **OR**, and **AND**
(strawberry OR chocolate) AND milk
- The **CONTAINS** operator may be used to restrict to a specific field. Available names are: **TITLE**, **ABSTRACT**, **COPYRIGHT**, **RELATED_PEOPLE**, and **RELATED_DOCUMENTS**
RELATED_PEOPLE CONTAINS smith
 - Words may contain the special characters ? and * for "match any single
"match zero or more characters." (COPYRIGHT CONTAINS mot*) AND (T
cell*)
 - In order to filter all data by country of origin, publication dates and/or la
simply enter \$ALL (not case sensitive) in the 'Search For' field.
 - For help with other options, [view our help guide](#).

Copyright © 2005 IP.com, Inc. All rights reserved. | Priva

IP.com
PriorArtDatabase

Security

May 23, 2005

USPTO

Search

Full Text

Concept

Document ID

Recent
Disclosures**Publish**

Publish Disclosure

My IP.com

Manage Account

Prior Purchases

Prior Disclosures

Events

Main Page

Support

Logout

Fingerprint Lookup

Lookup

Displaying records #1 through 10 out of 31

Scanned titles and abstracts 1-31

Result # 1 Relevance: ○○○○○○

PREVIEW
this document**Relational Database Management System (RDBMS) Management Information Base (using SMIV2 (RFC1697))**

1994-08-01

IPCOM000002535D

Eng

This memo defines a portion of the Management Information Base (MIB) for use with network management protocols in the Internet community. In particular, it describes management objects used for managing relational database (RDB) implementations.

Result # 2 Relevance: ○○○○○○

PREVIEW
this document**OSI IS-IS Intra-domain Routing Protocol (RFC1142)**

1990-02-01

IPCOM000001953D

Eng

This Protocol is one of a set of International Standards produced to facilitate the interconnection of open systems. The set of standards covers the services and protocols required to achieve such interconnection. This Protocol is positioned with respect to other ...

Result # 3 Relevance: ○○○○○○

PREVIEW
this document**Asynchronous Shadowing of Changes between Relational Database Systems**

1992-12-01

IPCOM000110564D

Eng

Shadowing is the ability to replicate relational tables from one relational database system to another such that after a modification (update, insert, or delete) is made to a table on a given relational database system, that modification will be replicated on all ...

Result # 4 Relevance: ○○○○○○

PREVIEW
this document**Early Deadlock Detection Mechanism**

1978-01-01

IPCOM000068512D

Eng

A mechanism is described for use in data processing operations for detecting the deadlock which exists when a group of tasks exist wherein each and every task is stopped because it is waiting for a resource held by another task.

released by another task in ...

Result # 5 Relevance: 



PREVIEW
this document

Method of Preventing Transfer of Databases Via an Unauthorized Method

1989-11-01

IPCOM000037076D

Eng

Disclosed is a method to prevent circumvention of security authorization checking by unauthorized transfer of program data to an unsecured system.

Result # 6 Relevance: 



PREVIEW
this document

Referential Integrity Implementation Details and Advantages

1995-03-01

IPCOM000115163D

Eng

A method for providing referential integrity within a system that provides both superior functionality and ease-of-use is disclosed. This solution also allows for referential constraint management without drastically impacting system storage requirements as ...

Result # 7 Relevance: 



PREVIEW
this document

Automatic Data Base Design

1991-04-01

IPCOM000120406D

Eng

A software technique is disclosed that simplifies the problems in designing a suitable relational data base that meets the requirements of input and output documents.

Result # 8 Relevance: 



PREVIEW
this document

Caching and Recovery of Catalog Information in a Distributed Query Compilation Environment

1985-01-01

IPCOM000062908D

Eng

This invention relates to a method for managing catalog information in a distributed database in which non-local data descriptions can be used for query, compilation, and execution with a mechanism for detection and recovery from the use of obsolete catalog descriptions. The method steps ...

Result # 9 Relevance: 



PREVIEW
this document

Shared Record Validity Checker Control Unit Extension

1984-10-01

IPCOM000043977D

Eng

There are several systems in use (in particular, some control program systems) in which multiple processes

used to increase system throughput, and in which a
is shared among the processors by means of shared
memory control units, as shown by ...

Result # 10 Relevance: ○○○○○○



PREVIEW
this document

Maintenance of duplicate databases (RFC1

1975-01-27

IPCOM000003727D

Eng

There are a number of motivations for maintaining r
duplicate copies of databases in a distributed netwo
environment. Two important motivations are:

Displaying page 1 of 4 < BACK | [NEXT](#) >

Search (replicat* or duplicat* or copy or copying) w/5 ((catalog
query: system or master) w/2 (table or meta* or catalog)) and
datastore or dbms or rdbms or (data w/1 base) or (data

Published 1-24-2001 (Original publication date)

Before:

[New search](#) | [Modify this search](#) | [Search within current results](#)

Copyright © 2005 IP.com, Inc. All rights reserved. | Priva

IP.com
PriorArtDatabase

Security

USPTO

May 23, 2005

Search[Full Text](#)[Concept](#)[Document ID](#)[Recent
Disclosures](#)**Publish**[Publish Disclosure](#)**My IP.com**[Manage Account](#)[Prior Purchases](#)[Prior Disclosures](#)[Events](#)[Main Page](#)[Support](#)[Logout](#)**Fingerprint Lookup**[Lookup](#)

Displaying records #11 through 20 out of 31

Result # 11 Relevance:

**PREVIEW**
this document**Language Definition of a Text Query Lang**

1993-09-01

IPCOM000105801D

Eng

This invention relates to a process for accessing, extracting, annotating and indexing online documents. Text Query Language (TQL) is an application programming interface for "text-dominated" or unstructured text data base. Programming Languages ...

Result # 12 Relevance:

**PREVIEW**
this document**Reference Code Development Process**

1988-04-01

IPCOM000057268D

Eng

The Reference Code Development Process (RCDP) is that provides individual developers, working on their respective Common Building Block (CBB) or element different departments and locations, a means to enter Problem Analysis and Resolution (PAR) function ...

Result # 13 Relevance:

**PREVIEW**
this document**Multiple Owner Multiple Level Deadlock Detection Mechanism for Resource Contention Control**

1978-01-01

IPCOM000068513D

Eng

A deadlock detection mechanism is described for use in processing multitask data base operations for providing resource contention control when multiple levels of contention are allowed and a task may be waiting on more than one task.

Result # 14 Relevance:

**PREVIEW**
this document**Domain names: Implementation specifications (RFC0883)**

1983-11-01

IPCOM000003932D

Eng

Overview

Result # 15 Relevance:

Domain names plan and schedule (RFC0883)

**PREVIEW**
this document

1983-11-01

IPCOM000003930D

Eng

Domain style names are being introduced in the Internet to allow a controlled delegation of the authority and responsibility for adding hosts to the system. This also allows a simplification of the task of maintaining information about hosts.

Result # 16

Relevance: ○○○○○○

**PREVIEW**
this document**Object-Oriented Wrapper Scheme for Relational Database**

1994-02-01

IPCOM000111468D

Eng

Disclosed is a scheme for using the important components of a relational database system in object-oriented system without the use of wrappers.

Result # 17

Relevance: ○○○○○○

**PREVIEW**
this document**Domain name system implementation scheme revised (RFC0921)**

1984-10-01

IPCOM000004332D

Eng

Status of this Memo

Result # 18

Relevance: ○○○○○○

**PREVIEW**
this document**Spanning Temporary Reorg Files**

1993-06-01

IPCOM000104842D

Eng

Disclosed is a method of spanning temporary Reorganization files.

Result # 19

Relevance: ○○○○○○

**PREVIEW**
this document**Technique for Data Recovery Excluding Portions of the Log without Requiring a Full Image**

1993-11-01

IPCOM000106503D

Eng

A technique for Point-in-time recovery records the recovery byte address(RBA) of the database log to which the recovery is restored. Subsequent recovery, whether to current or point-in-time, utilize the recorded RBA(s) to navigate through the log is ...

Result # 20

Relevance: ○○○○○○

**PREVIEW**
this document**SYSTEM AND METHOD TO AUTOMATICALLY DETECT THE NATIVE LANGUAGE OF TEXT-DOCUMENTS**

2000-02-01

IPCOM000014493D

Eng

System and method to automatically detect the native language of text-based documents The system described in this article is related in the area of Internet Search Engine technology. Internet Search Engines usually consist of an information collection component, which is ...

Displaying page 2 of 4. [< BACK](#) | [NEXT >](#)

Search (replicat* or duplicat* or copy or copying) w/5 ((catalog query: system or master) w/2 (table or meta* or catalog)) and datastore or dbms or rdbms or (data w/1 base) or (data

Published 1-24-2001 (Original publication date)

Before:

[New search](#) | [Modify this search](#) | [Search within current results](#)

Copyright © 2005 IP.com, Inc. All rights reserved. | Privacy



IP.com
PriorArtDatabase

Securin

USPTO

May 23, 2005

Search

Displaying records #21 through 30 out of 31

Full Text

Concept

Document ID

Recent
Disclosures

Publish

Publish Disclosure

My IP.com

Manage Account

Prior Purchases

Prior Disclosures

Events

Main Page

Support

Logout

Fingerprint Lookup

Lookup

Result # 21 Relevance: ○○○○○○

PREVIEW
this document**Domain name system implementation sch
(RFC0897)**

1984-02-01 IPCOM000003946D

Eng

Status of this Memo

Result # 22 Relevance: ○○○○○○

PREVIEW
this document**ARP and IP Broadcast over HIPPI-800 (RI**

2000-05-01 IPCOM000003433D

Eng

This document specifies a method for resolving IP addresses and for emulating IP broadcast in a logical LAN (LIS) as a direct extension of HARP. This memo defines HARP that will interoperate ...

Result # 23 Relevance: ○○○○○○

PREVIEW
this document**IP and ARP over HIPPI-6400 (GSN) (RFC**

2000-05-01 IPCOM000003434D

Eng

The ANSI T11.1 task force has standardized HIPPI-6 known as Gigabyte System Network (GSN), a physical point-to-point, full-duplex, link interface for reliable, flow-controlled, transmission of user data at 6400 Mbit/s in both directions. A parallel copper cable ...

Result # 24 Relevance: ○○○○○○

PREVIEW
this document**HTML Tables (RFC1942)**

1996-05-01 IPCOM000004173D

Eng

The HyperText Markup Language (HTML) is a simple language used to create hypertext documents that are portable from one platform to another. HTML documents are SGML documents with generic semantics that are appropriate for representing information from a wide range of ...

Result # 25 Relevance: ○○○○○○

PREVIEW
this document**Printer MIB (RFC1759)**

1995-03-01 IPCOM000004009D

Eng

A model of the printer is needed to represent the sub-units of which the printer is composed. A printer can be described as consisting of 13 types of sub-units. It is important to note that the sub-units of a printer do not necessarily relate to each other physically ...

Result # 26 Relevance: ○○○○○○

PREVIEW
this document**Exterior Gateway Protocol formal specific
(RFC0904)**

1984-04-01

IPCOM000003954D

Eng

This document is a formal specification of the Exterior Gateway Protocol (EGP), which is used to exchange net-reach information between Internet gateways belonging to or different autonomous systems. The specification is as a reference guide for ...

Result # 27 Relevance: ○○○○○○

PREVIEW
this document**Experiments in network clock synchroniza
(RFC0957)**

1985-09-01

IPCOM000004953D

Eng

2. Design of the Synchronization Algorithm 2.1. The Clock 2.2. Linear Phase Adjustments 2.3. Nonlinear Adjustments 3. Synchronizing Network Clocks 3.1. F Clocks and Reference Hosts 3.2. Distribution of Time Information ...

Result # 28 Relevance: ○○○○○○

PREVIEW
this document**Humanities and Arts: Sharing Center Stag
Internet (RFC2150)**

1997-10-01

IPCOM000002707D

Eng

This document is designed primarily for individuals with limited knowledge of, or experience with, the Internet.

Result # 29 Relevance: ○○○○○○

PREVIEW
this document**Data Driven Error Recovery Architecture for
Magnetic Tape Subsystem**

1992-08-01

IPCOM000109395D

Eng

This article describes a structured, maintainable mechanism for defining and controlling multiple, concurrent errors on a magnetic tape subsystem. The nature of the design implementation provide for a great deal of granularity in determining the correct means of ...

Result # 30 Relevance: ○○○○○○

PREVIEW
this document**Generic Security Service API Version 2 :
C-bindings (RFC2744)**

2000-01-01

IPCOM000003341D

Eng

This document specifies C language bindings for Version 1 of the Generic Security Service Application Programming Interface (GSS-API), which is described at a language-independent conceptual level in RFC-2743

It obsoletes RFC-1509, making specific ...

Displaying page 3 of 4 [< BACK](#) | [NEXT >](#)

Search (replicat* or duplicat* or copy or copying) w/5 ((catalog
query: system or master) w/2 (table or meta* or catalog)) and
datastore or dbms or rdbms or (data w/1 base) or (date

Published 1-24-2001 (Original publication date)

Before:

[New search](#) | [Modify this search](#) | [Search within current results](#)

Copyright © 2005 IP.com, Inc. All rights reserved. | [Priva](#)

IP.com
PriorArtDatabase

Securin

USPTO

May 23, 2005

Search

Full Text
Concept
Document ID
Recent Disclosures

Publish

Publish Disclosure

My IP.com

Manage Account
Prior Purchases
Prior Disclosures
Events
Main Page
Support
Logout

Fingerprint Lookup

<input type="text"/>
<input type="button" value="Lookup"/>

Displaying records #31 through 31 out of 31

Result # 31 Relevance: ○○○○○○

**PREVIEW**
this document**A Simulation Model for IP Multicast with R**
(RFC2490)

1999-01-01

IPCOM000003071D

Enq

This document describes a detailed model of IPv4 m with RSVP that has been developed using the OPNE simulation package [4], with protocol procedures de the C language. The model was developed to allow investigation of performance constraints on routing

Displaying page 4 of 4 < [BACK](#) | [NEXT](#) >

Search (replicat* or duplicat* or copy or copying) w/5 ((catalog query: system or master) w/2 (table or meta* or catalog)) and datastore or dbms or rdbms or (data w/1 base) or (data

Published 1-24-2001 (Original publication date)
Before:

[New search](#) | [Modify this search](#) | [Search within current results](#)

Copyright © 2005 IP.com, Inc. All rights reserved. | Priva

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	161	catalog near5 cach\$	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/23 18:41
L2	738094	database or datastore or (data adj base) or (data adj store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:44
L3	17706	dbms or rdbms	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:44
L4	747742	2 or 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:44
L5	104	4 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 19:06
L6	56	1 not 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 19:19
L7	6138	(system or master) adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 19:20
L8	34	7 with cach\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 19:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	738094	database or datastore or (data adj base) or (data adj store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:44
L2	24965	(catalog adj table) or (table adj3 contents)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:19
L3	2100283	(copy or copied or copying or duplicate or duplicated or duplicating or replicate or replicated or replicating or record or recorded or recording)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:46
L4	3077	2 with 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:46
L5	845	1 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:54
L6	7112	707/102,10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:54
L7	54	5 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:10
L8	3279136	object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:11
L9	60408	table near5 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:13
L10	2450	4 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:14

L11	59	6 and 10 <i>kwic</i>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:15
L12	8	11 not 7 <i>rev</i>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:15
L13	330	(catalog adj table) <i>browsed</i>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:19
L14	40	13 with 3 <i>kwic</i>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:27
L15	105425	catalog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:27
L16	2306	15 near 8 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:04
L17	1144	1 and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:06
L18	37	707/103z.ccls. <i>browsed</i>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:06
L19	27	3 and 18 <i>kwic</i>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:13
L20	3961	707/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:14

L21	30	4 and 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:23
L22	26663	"707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:23
L23	238	22 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:26
L24	203	8 and 23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:50
L25	59	meta adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:10
L26	2	3 with 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:51
L27	8901	(system or master) adj (table or catalog)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:41
L28	405	3 near5 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:38
L29	1	non-persistent with non-shareable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:42
L30	33285	2 or 25 or 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:42

L31	221	30 with instance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:43
L32	264189	non-persistent or temporary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:42
L33	1	31 same 32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:43
L34	66	22 and 31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:50
L35	1077	3 with schema	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:53
L36	279	32 and 35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:54
L37	12	32 same 35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:02
L38	0	22 same 35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:03
L39	482	22 and 35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:04
L40	75064	(temporary or (non adj persistent) or private or local or client or remote) near8 (3 or instance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:06

L41	250	40 same 30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:13
L42	178	1 and 41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:25
L43	20	((("5924094") or ("6446092") or ("6549920") or ("6631381") or ("5333316") or ("5758337") or ("6487641") or ("6044373") or ("5280612") or ("20020099559")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 16:37
L44	0	("2002/0099559").URPN.	USPAT	OR	ON	2005/05/23 16:38
L45	14	("5345585" "5596745" "5630125" "5642510" "5713018" "5740425" "5787411" "5819086" "5826076" "5862378" "5864856" "5873096" "6055516" "6115704").PN. OR ("6631381").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/23 16:39
L46	6	("20020016786" "20020123988" "5890156" "6081875" "6199074").PN. OR ("6549920").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/23 16:42
L47	6	("5924096" "5940594" "6098064" "6128627" "6148394" "6173311").PN. OR ("6487641").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/23 16:43
L48	17	("5386585" "5608874" "5649185" "5664189" "5678041" "5682537" "5687363" "5721909" "5862327" "5870765" "5873096" "5937414").PN. OR ("6446092").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/23 16:44
L49	18	("4200770" "4714992" "4714996" "5276901" "5315657" "5335346" "5339403" "5517642" "5649185" "5881230" "5949876").PN. OR ("6044373").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/23 17:18
L50	48	("5608874" "5649185" "5664189" "5678041" "5682537" "5687363" "5721909").PN. OR ("5924094").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/23 17:20
L51	19	("4482970" "4885677" "4941191" "5109384" "5315539" "5487023").PN. OR ("5758337").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/23 17:24

L52	54	("4432057" "4611298" "4627019" "4631673" "4646229" "4823310" "4881166" "5006978" "5220657").PN. OR ("5333316").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/23 17:37
-----	----	--	------------------------------	----	----	------------------

rev

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7800	execut\$ with statement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:49
L2	738094	database or datastore or (data adj base) or (data adj store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:49
L3	3279136	object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:49
L8	24965	(catalog adj table) or (table adj3 contents)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:08
L9	69005	(private or local or client or remote) with (copy or copied or copying or duplicate or duplicated or duplicating or replicate or replicated or replicating or record or recorded or recording)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:07
L10	153	9 same 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:09
L11	101	2 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:09
L12	192815	transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:09
L13	49	11 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:32

L14	52	11 not 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:33
-----	----	-----------	---	----	----	------------------

rev